

Portland State University PDXScholar

Environmental Science and Management Faculty
Publications and Presentations

Environmental Science and Management


11-9-2016

Using Transects to Understand Cyanobacterial Blooms

John Rueter
Portland State University

Let us know how access to this document benefits you.

Follow this and additional works at: http://pdxscholar.library.pdx.edu/esm_fac

 Part of the [Environmental Indicators and Impact Assessment Commons](#), and the [Natural Resources and Conservation Commons](#)

Citation Details

Rueter, John, "Using Transects to Understand Cyanobacterial Blooms" (2016). *Environmental Science and Management Faculty Publications and Presentations*. 181.
http://pdxscholar.library.pdx.edu/esm_fac/181

This Presentation is brought to you for free and open access. It has been accepted for inclusion in Environmental Science and Management Faculty Publications and Presentations by an authorized administrator of PDXScholar. For more information, please contact pdxscholar@pdx.edu.

Using transects to understand cyanobacterial blooms

John Rueter
rueterj@pdx.edu
Environmental Science and Management
Portland State University

KBMP meeting November 9 & 10, 2016

Overview

- ⊗ Toxic algae (and cyanobacteria) are a game changer
- ⊗ Might have to revisit our objectives and goals
- ⊗ Need to consider wider range of management approaches
- ⊗ This talk focuses on short-term mitigation
 - ⊗ Monitoring
 - ⊗ Possible approaches

Two hypotheses for addressing blooms in UKL and Agency Lake

- ⦿ TMDL
- ⦿ Reduce P loading
- ⦿ Will reduce algae in general
- ⦿ Long term / large spatial scale
- ⦿ Humic Hypothesis
- ⦿ Restore wetlands
- ⦿ Marsh water will limit APFA growth
- ⦿ Seasonal and near-shore scale of impact

Two hypotheses for addressing blooms in UKL and Agency Lake

- ⊗ TMDL
- ⊗ Reduce P loading
- ⊗ Will reduce algae in general
- ⊗ Long term / large spatial scale
- ⊗ Humic Hypothesis
- ⊗ Restore wetlands
- ⊗ Marsh water will limit APFA growth
- ⊗ Seasonal and near-shore scale of impact


Neither of these address the impact of increased frequency and spatial distribution of toxic strains.

Need to have more specific objectives

- ⊗ “Harmful Algal Bloom”
- ⊗ What’s a bloom?
 - ⊗ Wikipedia – “increase or accumulation”
 - ⊗ NOAA – HABS is when they “grow out of control”
 - ⊗ EPA – HABS occur when there is “overgrowths of algae”

Algal growth

- ⦿ Succession – takes months



Algal growth

- Succession
- Competitive Exclusion - takes weeks


Example:

B is growing 2x as fast as A (.5 vs .25)

Loss term is same for both (-.2)


A starts at 100, B starts at 10

B takes 10 days to exceed A




Algal growth

- ⊗ Succession
- ⊗ Competitive Exclusion
- ⊗ Accumulation of buoyant algae – can happen in a day



Management

- Solution – remove the drivers
- Resilience or resistance
- Mitigation
- Risk Management
- Adaptation to future weather



Scientific Adaptive Management

- ⊗ Manipulations are experiments
- ⊗ Multi-scalar
- ⊗ Place sensitive (landscape includes humans)

Norton 2005


Scientific Adaptive Management

- ⊗ Manipulations are experiments
- ⊗ Multi-scalar
- ⊗ Place sensitive (landscape includes humans)

Use SAM to explore mitigations that are hypothesized to reduce impact of toxic algae.

Example 1: use marshwater to suppress APFA


- Observations around marshes that there is
- Suppression of growth early in the season can minimize a bloom (and possible crash) later



- Mechanism
 - Something to do with humics/brown water
 - Benchtop studies are ambiguous
 - Mesocosm – recent work by Rouhe points to ions
- In-lake measurements

Opportunity and Approach

Agency Lake Ranch water storage
and pumping into the lake



Transect device



Transects when the pump is on

- CDOM
- Phycocyanin
- DO




Gradients not to same scale




Exploratory data analysis

- R matrix – identify interesting relationships in the mixing zone



Transect results

- DO vs. CDOM
 - Above the dilution line
- In this case, results do not support the humic hypothesis



High-resolution transects

- ⊗ Can use satellites and cameras
- ⊗ Actual measurements in the lake
 - ⊗ DO, CDOM, pH, pigments, temp, conductivity
- ⊗ Previous technique – lots of pieces
- ⊗ DataRon from Turner (\$2k for one parameter)
- ⊗ EXO sonde - \$12-15k for multiple sensors

High-resolution transects


- ❶ Fallacy of the ROV
 - ❶ Expensive
 - ❶ Requires humans anyway
 - ❶ Misses the other “surprise” information



However they are shinny and new

Possible mitigation approaches

Controlled mixing
10% for 24 hrs



Example 2: temporary mixing

- ⊗ Surface “scum” confers advantage
- ⊗ Disruption of surface layer decreases this advantage temporarily
- ⊗ Changes in weather might disrupt this
- ⊗ On-demand mixing



Possible problems – just some

- ⊗ Mitigation projects might be too small to actually have an effect.
- ⊗ Projects may not fit with agency goals or operation procedures.
- ⊗ Small scale mitigations don't actually add up to large scale benefits, i.e. don't contribute to the solution.
- ⊗ Management and research/monitoring are not adequately linked.

Conclusions

We should:

- ⊗ Restate our objectives for algae control in UKL and Agency Lake
- ⊗ Consider a wider range of management approaches
- ⊗ Look for mitigation tactics that contribute to the overall strategic goals
- ⊗ Perform management activities as if they were experiments

References/attributions

NOAA HABs definition
EPA HABs definition

Norton, B. G. (2005). Sustainability: A philosophy of adaptive ecosystem management. Chicago, University of Chicago Press.

Images:

Sign 1

Sign 2

SAV

Leviathan

Bamboo Raft

Sailboat in bloom

Powerboat in bloom

Inflatable in Lake Erie

Thank you